



### Z-MAX HYPER HEAT Series Air-conditioner Introduction

**23 SEER** 







## Mini-Split AC -SingleZone



#### Z-MAX 23 SEER2 Series\* COOL & HEAT

Capacity	Voltage	Cooling Capacity	Heating Capacity	SEER2	HSPF2 IV	HSPF2 V	EER2	COP2	40HQ (W/Pipe)
	(V)	(Btu/h)	(Btu/h)	(Btu/W.h)	(Btu/W.h)	(Btu/W.h)	(Btu/W.h)	(5°F/-15°C)	sets
9K Btu/h	115V	9000	9500	23	9	7.8	12.5	1.8	236
12K Btu/h	115V	12000	12000	22	9	7.8	12.5	1.8	230
9K Btu/h	230V	9000	9000	23.5	9.2	7.9	13	1.8	236
12K Btu/h 18K Btu/h	230V	12000	12000	23	9.5	8.2	13	1.8	230
24K Btu/h	230V	18000	18000	22	8.8	7.6	13	1.8	159
Z4N BLU/II	230V	23000	24000	20	9	7.6	12.5	1.8	117











## Mini-Split AC -SingleZone



#### **Z-MAX 23 SEER Series\* COOL & HEAT**

- 9K-24K Energy star & Neepmodels
- Detachable bottom plate for easy installation
- Quick replacement PCB for easy maintenance
- · Comfortable gentle cool air flow
- Rapid cooling up to 30 seconds
- 131°F strong cooling in high ambient temp.
- Low ambient heating -13°F
- 133°F high temperature self cleaning and sterilization
- DIY Guidance Card
- 4 way air flow
- Anti cold air
- Sleep mode
- Eco mode














Gentle Cool Wind

## Innovations



20" = Disassembly + Assembly





Top Opened Filter




# Upgrades





Matt Finish



USB WIFI



Smaller Closing Gap



Larger & Stronger Louver



100Hz High Frequency Starting Rapid Cooling up to 30" \* Air Volume Increased by 20% Noise Reduced by 1-2 dB(A)





### **Gentle CoolWind**

Gentle cool wind blades

Patent for Invention:









### 131°F/55°C Strong Cooling

### in High Ambient Temp



131°F/55°C Ambient: Still Good Cooling 122°F/50°C Ambient: Full Capacity as Rated



## -4°F/-25°C Strong Heating in Low Ambient Temp



-4°F/-25°C Ambient: Still Good Heating





## **Long Distance Air Supply**



**Shower-style**Air Supply In Cooling Mode

**Blanket-style**Air Supply In Heating Mode





# Distributed Healthy Filter System

Top Opened Filter
Integrated High Density Filter

Healthy Filters \*
Multiple Options for Each AC

#### Singular Filter



Silver Ion Filter



Active Carbon Filter



Catechin Filter

#### 6 IN 1 Filter

- Photocatalyst Filter
- Catechin Filter
- Active Carbon Filter
- Silver ion Filter
- Anti-dust static Filter Vitamin C Filter







## 133°F/56°C High Temperature **Self-cleaning & Sterilization**













Defrosting Frosting



High Temperature Drying



133°FHigh Temperature Sterilization

<sup>\*</sup> Heat Pump DC Inverter Only

<sup>\*</sup> Optional








## Z-MAXFIT PARTNER'S NEEDS

Your Efficiency, We Care



## **Easy Installation**




## **Optimized Installation Plate**



#### π Design

Thicker and Stronger




#### **Convenient Installation**

- Gap ≥120 MM
- Supporters Available










#### **Only 3 Steps**


Needed for a Deeper Cleaning





Clean the Duct System & Cross Fan

## **Easy Installation**



**Easy Assembly** 



No Screw Only Buckles



8 Disassembly

12 Assembly

Easy Maintenance









# ☑ZERO USB WIFI Device

Make WIFI Function Portable & Handy













## Thank You